

Floor Melody

YOUR ONE STOP FLOOR EXPERT



Advance Luxury Vinyl Tiles



TERRA FIRMA

FOCUS ON HIGH-QUALITY LIFESTYLE





Floor Melody
YOUR ONE STOP FLOOR EXPERT



ADVANCE LVT FLOORING



Why Choose Vinyl Flooring

Luxury Vinyl Tile (LVT), the fastest growing category in flooring, is possibly the most eco-friendly flooring in the world. It can be endlessly recycled.


It has no heavy metals, no solvent based inks, no formaldehydes, and no PCP and components considered carcinogenic in it at all.

It's fire resistant and doesn't release toxic gases. And importantly, it looks good.

Vinyl floor-Click System

Size : 5mm/0.5mm(T)x 180mm(W) x 1220mm(L)

PRECISION IN EVERY DETAIL



Advanced UV Shield Coating
Protects against scratches, stains, and daily wear.

High- Performance Wear Layer
Superior resistance for heavy traffic environments.

Decorative Design Layer
Authentic wood & stone visuals with natural texture.

Primary Rigid Core Layer
Provides structural strength and stability.

Fiberglass Reinforcement Layer
Enhances dimensional stability and prevents deformation.

Secondary Core Stabilization Layer
Balances pressure and improves durability.

Fiberglass Reinforcement Layer
Double-layer reinforcement for long-term performance.

Enhanced Core Support Layer
Ensures overall rigidity and load-bearing strength.

Anti Slip Backing Layer
Enhances floor grip and prevents movement or slipping.



Click system

With CLICK System,LVT is a quick to install flooring solution as it can be installed without any requirement for flooring adhesives and is simply fitted over Underlay.





Advantages



Waterproof



Dimensionally Stable



Easy to clean



High Abrasion



Sound Absorption



Anti Scratch



TERRA FIRMA - Luxury Vinyl Tiles



PRECISION IN EVERY DETAIL

- Advanced UV Shield Coating**
Protects against scratches, stains, and daily wear.
- High-Performance Wear Layer**
Superior resistance for heavy traffic environments.
- Decorative Design Layer**
Authentic wood & stone visuals with natural texture.
- Primary Rigid Core Layer**
Provides structural strength and stability.
- Fiberglass Reinforcement Layer**
Enhances dimensional stability and prevents deformation.
- Secondary Core Stabilization Layer**
Balances pressure and improves durability.
- Fiberglass Reinforcement Layer**
Double-layer reinforcement for long-term performance.
- Enhanced Core Support Layer**
Ensures overall rigidity and load-bearing strength.
- Anti Slip Backing Layer**
Enhances floor grip and prevents movement or slipping.

FOCUS ON HIGH-QUALITY LIFESTYLE

Size: 5mm/0.5mm(T)X180mm(W)X1220mm(L)

8pcs/carton Gross Weight 17.36Kg Net Weight 16.86KG



Luxury
Vinyl
Tile

Description	Standard	Symbol	Requirements	Results
Classification (Level of Use)	EN ISO 10582 EN ISO 10582		Domestic-Heavy(Class 23) Wear Layer (Nominal): $\geq 0.30\text{mm}$ Thickness (Nominal): $\geq 1.5\text{mm}$	Passes Requirements (Nominal)
			Commercial-Very Heavy(Class 33) Wear Layer (Nominal): $\geq 0.50\text{mm}$ Thickness (Nominal): $\geq 2.0\text{mm}$	Passes Requirements (Nominal)
			Light Industrial-Heavy(Class 43) Wear Layer (Nominal): $\geq 0.70\text{mm}$ Thickness (Nominal): $\geq 2.0\text{mm}$	Passes Requirements (Nominal)
Dimensional Stability	ISO 23999:2021			X Direction: 0.00% Y Direction: 0.00%
Curling	ISO 23999:2021	N/A		X Direction: 0.0mm Y Direction: 0.0mm
Residual Indentation	ISO24343		$\leq 0.1\text{mm}$	0.07mm
Colour Fastness to Light	ISO 105-B02, Method 3		$\geq \text{Grade 6}$	Grade 6
Reaction to Fire (and Smoke Production)	EN 13501-1		B_{fl} - S1 Classification Critical Flux: $\geq 8.0\text{kW/m}$ Flame Spread: $\leq 150\text{mm}$ within 20s Smoke value as % x min: ≤ 750	B _{fl} -S1
Castor Chair	ISO 4918:2016		Load: 90kg Type of wheels: Type W Cycles: 25000	Pass
Slip Resistance	EN 16165:2021-12		Class Ds: Test result $6^\circ \leq \text{ashod} < 10^\circ$	R9
Phthalate	EN14372		(1) 1mg/kg = 1 ppm = 0.0001% (2) MDL = Method Detection Limit (3) ND = Not Detected (< MDL) (4) "-" = Not Regulated	ND
Thermal Resistance	EN 12667			Pass
Abrasion/ wear Resistance	EN 660-2		$2.0 < F_v \leq 4.0$	Group P



TERRA FIRMA

Classic Wood Collection

Dimension: 1220mm Length X180mm Width x5.0mm Thickness



FM-TF 1001-MILK Nordic Shimmer



FM-TF 1002-FROST Nordic Shimmer



FM-TF 1003-CREMA Nordic shimmer



FM-TF 1004-MAPLE Nordic Shimmer



FM-TF 1005-HONEY Nordic Shimmer



FM-TF 1102-CHALKY Malibu Dream

V *Luxury*
vinyl
Tile

COLOR



FM-TF1103-TOFFY Malibu Dream




FM-TF 1201 LAUREL Touch of Grace



FM-TF 1202 CINNAMON Touch of Grace



FM-TF 1203 ANISEED Touch of Grace



FM-TF 1204-B PEPPER Touch of Grace



FM-TF 1302 New Modern

TERRA FIRMA - Classic Wood Collection

Dimension: 1220mm Length X180mm Width x5.0mm Thickness



TERRA FIRMA - Classic Wood Collection


Dimension: 1220mm Length X180mm Width x5.0mm Thickness



FM-TF 1002-FROST
Nordic Shimmer

TERRA FIRMA - Classic Wood Collection

Dimension: 1220mm Length X180mm Width x5.0mm Thickness



FM-TF 1003-CREMA
Nordic shimmer

TERRA FIRMA - Classic Wood Collection

Dimension: 1220mm Length X180mm Width x5.0mm Thickness



FM-TF 1004-MAPLE
Nordic Shimmer

TERRA FIRMA - Classic Wood Collection

Dimension: 1220mm Length X180mm Width x5.0mm Thickness



FM-TF 1005-HONEY |
Nordic Shimmer

TERRA FIRMA - Classic Wood Collection

Dimension: 1220mm Length X180mm Width x5.0mm Thickness



FM-TF 1102-CHALKY
Malibu Dream

TERRA FIRMA - Classic Wood Collection


Dimension: 1220mm Length X180mm Width x5.0mm Thickness



FM-TF1103-TOFFY
Malibu Dream

TERRA FIRMA - Classic Wood Collection

Dimension: 1220mm Length X180mm Width x5.0mm Thickness



TERRA FIRMA - Classic Wood Collection


Dimension: 1220mm Length X180mm Width x5.0mm Thickness



FM-TF 1202
CINNAMON

TERRA FIRMA - Classic Wood Collection

Dimension: 1220mm Length X180mm Width x5.0mm Thickness



FM-TF 1203
ANISEED

TERRA FIRMA - Classic Wood Collection


Dimension: 1220mm Length X180mm Width x5.0mm Thickness



FM-TF 1204-B
PEPPER

Microcement Collection


Dimension: 600mm Length X300mm Width x5.0mm Thickness



**TF 1308-SICILY
Microcement**



**TF 1309-LUST
Microcement**



**TF 1301-LUNAR
Microcement**




**TF 1302A-TITANIUM
Microcement**

COLOR



**TF 1310-SAGE
Microcement**



**TF 1306-W PEPPER
Microcement**




**TF 1311-VANTA
Microcement**



**TF 1307-GATSBY
Microcement**

Microcement Collection

Dimension: 600mm Length X300mm Width x5.0mm Thickness



FM-TF 1301
LUNAR

Microcement Collection

Dimension: 600mm Length X300mm Width x5.0mm Thickness



FM-TF 1302A
TITANIUM

Microcement Collection

Dimension: 600mm Length X300mm Width x5.0mm Thickness



FM-TF 1306 |
W-PEPPER

Microcement Collection

Dimension: 600mm Length X300mm Width x5.0mm Thickness



FM-TF 1307 |
GATSBY

Microcement Collection

Dimension: 600mm Length X300mm Width x5.0mm Thickness



FM-TF 1308
SICILY

Microcement Collection

Dimension: 600mm Length X300mm Width x5.0mm Thickness



FM-TF 1309 |
LUST

Microcement Collection


Dimension: 600mm Length X300mm Width x5.0mm Thickness



FM-TF 1310 |
SAGE

Microcement Collection

Dimension: 600mm Length X300mm Width x5.0mm Thickness



FM-TF 1311 |
VANTA

Big Format Stone Collection


Dimension: 900mm Length X450mm Width x6.0mm Thickness



TF 1605-SHADOW
Garden Atmosphere



TF 1606-SAND
Garden Atmosphere




TF 1607-CINNAMON
New Modern



TF 1608-IRON SKY
New Modern



TF 1601-CLOUD
Touch of Grace



TF 1602-CASTLE
Touch of Grace



TF 1603-COUNTRY
Touch of Grace



1200*600*6/0.5mm Limited Edition Big Format

COLOR

Big Format Stone Collection

Dimension: 900mm Length X450mm Width x6.0mm Thickness



FM-TF 1601
CLOUD

Big Format Stone Collection

Dimension: 900mm Length X450mm Width x6.0mm Thickness



FM-TF 1602A
CASTLE

Big Format Stone Collection

Dimension: 900mm Length X450mm Width x6.0mm Thickness



FM-TF 1603 |
ROME

Big Format Stone Collection

Dimension: 900mm Length X450mm Width x6.0mm Thickness



FM-TF 1604A
ESTONIA

Big Format Stone Collection

Dimension: 900mm Length X450mm Width x6.0mm Thickness



FM-TF 1605
SHADOW

Big Format Stone Collection

Dimension: 900mm Length X450mm Width x6.0mm Thickness



FM-TF 1606
SAND

Big Format Stone Collection

Dimension: 900mm Length X450mm Width x6.0mm Thickness



FM-TF 1607
CINNAMON

Big Format Stone Collection

Dimension: 900mm Length X450mm Width x6.0mm Thickness



FM-TF 1608A |
SPARY

Biggest Format Stone Collection

Dimension: 1200mm Length X 600mm Width X 6.0mm Thickness




FM-TF 1608
IRON SKY



TERRA FIRMA Herringbone Collection

Dimension: 615*110*5/0.5mm / 935*150*5/0.5mm



TF 1302

935mm

150mm

935*150*5/0.5mm Limited Edition Big format



TF 1505-NATURAL

Dimension: 615*110*5/0.5mm



TF 1506-BRONZE



TF 1507-HERITAGE

Dimension: 615*110*5/0.5mm



TF 1508-BELLARINE



Dimension: 615*110*5/0.5mm



935*150*5/0.5mm Limited Edition Big format

Limited Edition

122mm

660mm

110*40*2


660*122*5/0.5mm

TF 04

TF 03

TF 02

TF 01



A Revolutionary Click-Lock FishBone
Designed Exclusively for
Those Who Appreciate True Design.



TF 01

660*122*5/0.5mm



TF 02




660*122*5/0.5mm



Any pattern any design

Let us make your wish come true



Where Flooring Meets Imagination!


At Floor Melody, we take pride in transforming spaces into unique masterpieces with our unparalleled custom design vinyl flooring solutions. As a leading provider in the flooring industry, we bring your vision to life, one step at a time.

Unleash Your Creativity:
Custom Designs !

Our commitment lies in offering a special design experience for **designers** and **architects**, at every aspect of the flooring design



F.M.I.
FEED YOUR IMAGINATION®



Contact us

Click the link and explore more!

Social Media Platform



<https://www.facebook.com/FLOORMELODY.SG>



https://www.youtube.com/results?search_query=floormelody



https://www.instagram.com/floor_melody/

Welcome to visit FLOORMELODY !

FLOOR MELODY Flooring []



Google

WWW.FLOORMELODY.COM.SG

HP: +65 8139 0202

Tel: +65 6974 4128

Web: WWW.FLOORMELODY.COM.SG

Email: SALES@FLOORMELODY.COM.SG

Address: 1 Sims Lane #01-08 S387355

FLOOR MELODY